



We Claim:

1. A pharmaceutical composition in the form of a fixed dose combination tablet comprising:

- a) from about 15% to about 25% w/w of a solid dispersion comprising Compound I dispersed within a polymer matrix formed by copovidone, wherein the weight ratio of Compound I to copovidone in the solid dispersion is about 1:1 and wherein Compound I is substantially amorphous having the formula:




- b) from about 35% to about 45% w/w of sofosbuvir characterized by XRPD 20-reflections ($^{\circ} \pm 0.2\theta$) at about: 6.1, 10.4 and 20.8, wherein the sofosbuvir is substantially crystalline having the formula:




- c) from about 30% to about 40% w/w of microcrystalline cellulose;
 - d) from about 1% to about 5% w/w of croscarmellose sodium; and
 - e) from about 0.5% to about 2.5% w/w of magnesium stearate.
2. The pharmaceutical composition of claim 60, comprising about 40% w/w of sofosbuvir.

3. The pharmaceutical composition of claim 60, comprising about 20% w/w of the solid dispersion.
4. The pharmaceutical composition of claim 60, comprising about 35.5% w/w of microcrystalline cellulose.
5. The pharmaceutical composition of claim 60, comprising about 3% w/w of croscarmellose sodium.
6. The pharmaceutical composition of claim 60, comprising about 1.5% w/w of magnesium stearate.
7. A pharmaceutical composition in the form of a fixed dose combination tablet comprising:

a) about 20% w/w of a solid dispersion comprising Compound I dispersed within a polymer matrix formed by copovidone, wherein the weight ratio of Compound I to copovidone in the solid dispersion is about 1:1 and wherein Compound I is substantially amorphous having the formula:




b) about 40% w/w of sofosbuvir characterized by XRPD 2θ -reflections ($^{\circ} \pm 0.20$) at about: 6.1, 10.4 and 20.8, wherein the sofosbuvir is substantially crystalline having the formula:




- c) about 35.5% w/w of microcrystalline cellulose;
- d) about 3% w/w of croscarmellose sodium; and
- e) about 1.5% w/w of magnesium stearate.

8. A pharmaceutical composition in the form of a fixed dose combination tablet comprising:

- a) about 200 mg of a solid dispersion comprising Compound I dispersed within a polymer matrix formed by copovidone, wherein the weight ratio of Compound I to copovidone in the solid dispersion is about 1:1 and wherein Compound I is substantially amorphous having the formula:



- b) about 400 mg of sofosbuvir characterized by XRPD 2 θ -reflections ($^{\circ} \pm 0.20$) at about: 6.1, 10.4 and 20.8, wherein the sofosbuvir is substantially crystalline having the formula:



- c) about 355 mg of microcrystalline cellulose;

- d) about 30 mg of croscarmellose sodium; and
 - e) about 15 mg of magnesium stearate.
9. The pharmaceutical composition of claim 67, wherein the tablet comprises a film coating.
10. The pharmaceutical composition of claim 68, wherein the film coating is a polyvinylalcohol-based coating.

Dated this 11th day of March, 2016

**NAMRATA CHADHA
OF K&S PARTNERS
AGENT FOR THE APPLICANT(S)
IN/PA-1904**